## Safety data sheet

**TREM** Lasting Perform

according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 8

Revision: 28.02.2019

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: TREMCO CS100 B · MSDS code: W-T-CS100B 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Epoxy curing agent Primer / Subcoating · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410 msds@tremco-illbruck.com · Further information obtainable from: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com · 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Eve Dam. 1 H318 Causes serious eye damage. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 · Signal word Danger · Contains: Linseed oil, polymer with bis-A, bis-A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl Ph ether, pentaethylenehexamine Hazard statements H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. (Contd. on page 2) - GB



Version number 8

Revision: 28.02.2019

Printing date 28.02.2019

version number

Trade name: TREMCO CS100 B

(Contd. of page 1) · Precautionary statements P273 Avoid release to the environment. Wear protective gloves / eye protection / face protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/attention. P391 Collect spillage. · Supplemental information: EUH208 Contains CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1), pentaethylenehexamine, 3,6,9triazaundecamethylenediamine, 2,2'-iminodiethylamine. May produce an allergic reaction. • Regulation (EC) No 528/2012 on biocidal products Contains a biocidal product: C(M)IT/MIT (3:1) · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 68915-81-1	Linseed oil, polymer with bis-A, bis-A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl Ph ether, pentaethylenehexamine Eye Dam. 1, H318; Skin Irrit. 2, H315	5-<10%
CAS: 20506-24-5 EINECS: 243-855-7	C.I. Solvent Yellow 89 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1-<1%
CAS: 4067-16-7 EINECS: 223-775-9 Reg.nr.: 01-219485826-22-xxxx	pentaethylenehexamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	0.1-<1%
	3,6,9-triazaundecamethylenediamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	0.1-<1%
CAS: 111-40-0 EINECS: 203-865-4 Reg.nr.: 01-2119473793-27-xxxx	2,2'-iminodiethylamine Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1B, H317; STOT SE 3, H335	0.1-<1%

· SVHC -

• Additional information: For the wording of the listed hazard phrases refer to section 16.

· Regulation (EU) No 528/2012 Biocidal Products Regulation

CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)

PT6

# **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)



Version number 8

Revision: 28.02.2019

Printing date 28.02.2019

Trade name: TREMCO CS100 B

(Contd. of page 2)

• After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### • After swallowing: Rinse out mouth and then drink plenty of water. Seek immediate medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed** Risk of serious damage to eyes.
- Sensitising effect by skin contact is possible by prolonged exposure.
- Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO) Nitrogen oxides (NOx)
   5.2 Advise for firefighters
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Avoid contact with the eyes and skin.
- Avoid contact with the eyes and skin.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to Section 13.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

**TREMCO** Lasting Performance

Version number 8

Revision: 28.02.2019

Printing date 28.02.2019

#### Trade name: TREMCO CS100 B

(Contd. of page 3)

Avoid contact with the eyes and skin. Wear suitable protective clothing and gloves.

• Information about fire - and explosion protection: The product is not flammable.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Protect from heat and direct sunlight.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from frost. Storage temperature: +5°C to +25°C
- · 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Wear suitable protective clothing and gloves.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

PVC or PE gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



Version number 8

Revision: 28.02.2019

# Trade name: TREMCO CS100 B

Printing date 28.02.2019

(Contd. of page 4)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye protection:

Tightly sealed goggles

#### · Body protection:



Protective work clothing

# **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physical and</li> <li>General Information</li> <li>Appearance: Form:</li> </ul>	chemical properties	
Colour:	Light orange colour	
· Odour:	Ammonia-like	
<ul> <li>pH-value at 20 °C:</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling range:</li> </ul>	7 Undetermined. : 100 °C	
· Flash point:	Not applicable.	
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	1.01 g/cm <sup>3</sup>	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.	
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>9.2 Other information</li> </ul>	<0.3 % No further relevant information available.	

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- Nitrogen oxides

(Contd. on page 6)

**TREMCO** Lasting Performance

Printing date 28.02.2019

Version number 8

Revision: 28.02.2019

(Contd. of page 5)

Trade name: TREMCO CS100 B

Carbon monoxide

# **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

CAS: 20506-24-5 C.I. Solvent Yellow 89

Oral LD50 5,000 mg/kg (rat)

CAS: 112-57-2 3,6,9-triazaundecamethylenediamine

Dermal LD50 660 mg/kg (rabbit)

### CAS: 111-40-0 2,2'-iminodiethylamine

Oral LD50 1,080 mg/kg (rat)

Dermal LD50 1,090 mg/kg (rabbit)

• Primary irritant effect:

- Skin corrosion/irritation Slight irritation possible.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation May cause allergic skin disorders in sensitive individuals.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot$  Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot$  STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:
- Harmful to aquatic life with long lasting effects.

### CAS: 20506-24-5 C.I. Solvent Yellow 89

### EC50/48 h 0.997 mg/L (daphnia magna)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)

GB

# Safety data sheet

**TREMCO** Lasting Performance

according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 8

Revision: 28.02.2019

Trade name: TREMCO CS100 B

**SECTION 13:** Disposal considerations

(Contd. of page 6)

#### 13.1 Waste treatment methods Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities. · European waste catalogue 08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances HP 14 Ecotoxic · Uncleaned packaging: · Recommendation: Dispose of packaging according to regulations on the disposal of packagings. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. • Recommended cleansing agents: Water, if necessary together with cleansing agents. SECTION 14: Transport information · 14.1 UN-Number · ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Void · Class 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · UN "Model Regulation": Void

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).



Revision: 28.02.2019

Printing date 28.02.2019

Version number 8

# Trade name: TREMCO CS100 B

(Contd. of page 7)

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015. "BPR" Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products. Regulation (EU) 2016/131 of 1 February 2016 approving C(M)IT/MIT (3:1) as an existing active

substance for use in biocidal products for product-types 2, 4, 6, 11, 12 and 13.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes 2008/98/EC on waste

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

- National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

#### · Department issuing SDS:

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1



Printing date 28.02.2019

Version number 8

Revision: 28.02.2019

(Contd. of page 8)

#### Trade name: TREMCO CS100 B

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • \* Data compared to the previous version altered.

GB ·